

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	15	optimiz\$ near3 (fact adj table)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/02 18:52
S2	9	(reduc\$4 near3 size) near3 (fact adj table)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/02 19:13
S3	9	(reduc\$4 near3 (size or columns)) near3 (fact adj table)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/02 19:14
S4	145	(segment\$4 or divid\$4 or organiz \$4 or re\$1organiz \$4) with (fact adj table)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/02 19:35
S5	37	(segment\$4 or divid\$4 or organiz \$4 or re\$1organiz \$4) near3 (fact adj table)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/02 19:35
S34	16	optimiz\$4 near3 star near3 schema	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/03 21:29
S35	12	(optimiz\$4 near3 star near3 schema) and (fact near3 table)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/03 21:37
S36	0	(optimiz\$4 near3 star near3 schema) and (minimiz\$4 near3 (fact near3 table))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/03 21:37

S37	0	(optimiz\$4 near3 star near3 schema) and (optimiz\$4 near3 (fact near3 table))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/03 21:38
S38	0	(optimiz\$4 near3 star near3 schema) and (re \$1order near3 (fact near3 table))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/03 21:38
S39	0	(optimiz\$4 near3 star near3 schema) and (sort near3 (fact near3 table))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/03 21:39
S40	0	(optimiz\$4 near3 star near3 schema) and (sort with (fact near3 table))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/03 21:40
S41	1	(optimiz\$4 near3 star near3 schema) and (sort \$4 with (fact near3 table))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/03 21:40
S42	0	(optimiz\$4 near3 star near3 schema) and (reduc\$4 near3 (fact near3 table))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/03 21:43
S43	0	(optimiz\$4 near3 star near3 schema) and (reduc\$4 with (fact near3 table))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/03 21:44
S44	2	(optimiz\$4 near3 star near3 schema) and (modif\$4 with (fact near3 table))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/03 21:44
S45	105	(order\$4 or sort \$4 or organiz\$4) near3 (fact adj table)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/03 21:48

S46	32	S45 and (star near3 schema)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/03 21:48
S47	973710	S45 and (star near3 schema) and blocks or segments	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/03 21:54
S48	25	S45 and (star near3 schema) and (blocks or segments)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/03 21:54
S53	2238	(707/4).CCLS.	USPAT; USOCR	OR	OFF	2008/04/11 00:22
S54	15	optimiz\$ near3 (fact adj table)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/11 00:22
S55	9	(reduc\$4 near3 size) near3 (fact adj table)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/11 00:22
S56	9	(reduc\$4 near3 (size or columns)) near3 (fact adj table)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/11 00:22
S57	146	(segment\$4 or divid\$4 or organiz \$4 or re\$1organiz \$4) with (fact adj table)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/11 00:22
S58	38	(segment\$4 or divid\$4 or organiz \$4 or re\$1organiz \$4) near3 (fact adj table)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/11 00:22
S114	455	((sort\$4 or order) near3 ((dimension near3 values) or (foreign near3 keys)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/21 22:05

S115	3	S114 and (segment\$4 with table)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/21 22:05
S116	0	S114 and (stor\$4 near3 groups near3 different near3 tables)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/21 22:06
S117	0	S114 and (stor\$4 near3 ranges near3 different near3 tables)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/21 22:06
S118	0	S114 and (stor\$4 with rang\$3 with different with tables)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/21 22:07
S119	121	(segment\$4 or break\$4 or portion \$4 or divid\$4) with table with ((dimension near3 values) or (foreign near3 keys))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/21 22:14
S120	3	(segment\$4 or break\$4 or portion \$4 or divid\$4) with table with range with ((dimension near3 values) or (foreign near3 keys))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/21 22:18
S121	3	(segment\$4 or break\$4 or portion \$4 or divid\$4) with table with gap with ((dimension near3 values) or (foreign near3 keys))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/21 22:19
S122	2	(locat\$4 near3 gaps) with table with gap with ((dimension near3 values) or (foreign near3 keys))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/21 22:21

S123	2	((locat\$4 near3 gaps) same table same ((dimension near3 values) or (foreign near3 keys))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/21 22:21
S124	3	((locat\$4 or identif \$4 or discover\$4) near3 gaps) same table same ((dimension near3 values) or (foreign near3 keys))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/21 22:21

6/23/2008 12:41:27 AM

C:\Documents and Settings\pdarno\My Documents\EAST\Workspaces\App No - 10719819  
\search 06-22-2008.wsp